



# SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## IBM Corporation

## SPECfp®\_rate2006 = Not Run

## IBM System x3650 (Intel Xeon E5335)

## SPECfp\_rate\_base2006 = 48.7

CPU2006 license: 11


Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Jan-2007

Hardware Availability: Feb-2007

Software Availability: Aug-2006



### Hardware

CPU Name: Intel Xeon E5335  
 CPU Characteristics: 1066MHz system bus  
 CPU MHz: 2000  
 FPU: Integrated  
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip  
 CPU(s) orderable: 1 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores

Continued on next page

### Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)  
 Compiler: Intel C++ Compiler for IA32 version 9.1 Build no 20060816  
 Intel Fortran Compiler for IA32 version 9.1 Build no 20060816  
 Microsoft Visual Studio .Net 2003 (for libraries)  
 Auto Parallel: No  
 File System: NTFS

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = Not Run

IBM System x3650 (Intel Xeon E5335)

SPECfp\_rate\_base2006 = 48.7

CPU2006 license: 11  
Test sponsor: IBM Corporation  
Tested by: IBM Corporation

Test date: Jan-2007  
Hardware Availability: Feb-2007  
Software Availability: Aug-2006

L3 Cache: None  
Other Cache: None  
Memory: 8 GB (8 x 1GB DDR2-5300F ECC)  
Disk Subsystem: 1 x 146 GB SAS, 15000 RPM  
Other Hardware: None

System State: Default  
Base Pointers: 32-bit  
Peak Pointers: Not Applicable  
Other Software: Smart Heap Library, Version 8

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	3518	30.9	3494	31.1	<b>3504</b>	<b>31.0</b>							
416.gamess	8	1660	94.4	<b>1660</b>	<b>94.4</b>	1658	94.5							
433.milc	8	3634	20.2	<b>3633</b>	<b>20.2</b>	3632	20.2							
434.zeusmp	8	<b>1252</b>	<b>58.2</b>	1266	57.5	1251	58.2							
435.gromacs	8	633	90.2	632	90.4	<b>633</b>	<b>90.3</b>							
436.cactusADM	8	1468	65.1	<b>1468</b>	<b>65.1</b>	1492	64.1							
437.leslie3d	8	<b>3233</b>	<b>23.3</b>	3235	23.2	3233	23.3							
444.namd	8	<b>796</b>	<b>80.6</b>	796	80.6	797	80.5							
447.dealII	8	<b>975</b>	<b>93.9</b>	956	95.8	983	93.2							
450.soplex	8	2364	28.2	2375	28.1	<b>2370</b>	<b>28.1</b>							
453.povray	8	<b>379</b>	<b>112</b>	379	112	379	112							
454.calculix	8	917	72.0	<b>917</b>	<b>72.0</b>	917	72.0							
459.GemsFDTD	8	3893	21.8	3911	21.7	<b>3902</b>	<b>21.8</b>							
465.tonto	8	<b>1492</b>	<b>52.8</b>	1492	52.8	1485	53.0							
470.lbm	8	4354	25.2	4355	25.2	<b>4355</b>	<b>25.2</b>							
481.wrf	8	1998	44.7	<b>1987</b>	<b>45.0</b>	1985	45.0							
482.sphinx3	8	3377	46.2	3374	46.2	<b>3375</b>	<b>46.2</b>							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Base Compiler Invocation

C benchmarks:  
icl -Qvc7.1 -Qc99

C++ benchmarks:  
icl -Qvc7.1

Fortran benchmarks:  
ifort

Benchmarks using both Fortran and C:  
icl -Qvc7.1 -Qc99 ifort



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = Not Run

IBM System x3650 (Intel Xeon E5335)

SPECfp\_rate\_base2006 = 48.7

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Jan-2007

Hardware Availability: Feb-2007

Software Availability: Aug-2006

## Base Portability Flags

```

436.cactusADM: -Qlowercase /assume:underscore
444.namd: -TP
447.deallI: -DDEAL_II_MEMBER_VAR_SPECIALIZATION_BUG
           -DBOOST_NO_INTRINSIC_WCHAR_T
453.povray: -DSPEC_CPU_WINDOWS_ICL
454.calculix: -DSPEC_CPU_NOZMODIFIER -Qlowercase
481.wrf: -DSPEC_CPU_WINDOWS_ICL

```

## Base Optimization Flags

```

C benchmarks:
  -fast /F950000000 shlw32m.lib          -link /FORCE:MULTIPLE

C++ benchmarks:
  -fast -Qcxx_features /F950000000 shlw32m.lib
  -link /FORCE:MULTIPLE

Fortran benchmarks:
  -fast /F950000000          -link /FORCE:MULTIPLE

Benchmarks using both Fortran and C:
  -fast /F950000000          -link /FORCE:MULTIPLE

```

The flags file that was used to format this result can be browsed at <http://www.spec.org/cpu2006/flags/Intel-ic91-flags.20090714.html>

You can also download the XML flags source by saving the following link: <http://www.spec.org/cpu2006/flags/Intel-ic91-flags.20090714.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Jul 22 10:14:34 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 8 February 2007.