



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint®\_rate2006 = 97.1

PowerEdge M805 (AMD Opteron 2354, 2.2 GHz)

SPECint\_rate\_base2006 = 84.4

CPU2006 license: 55


Test date: Aug-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008



## Hardware

CPU Name: AMD Opteron 2354  
 CPU Characteristics:  
 CPU MHz: 2200  
 FPU: Integrated  
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip  
 CPU(s) orderable: 2 chips  
 Primary Cache: 64 KB I + 64 KB D on chip per core  
 Secondary Cache: 512 KB I+D on chip per core  
 L3 Cache: 2 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 16 GB (8 x 2GB, DDR2-667, CL5, Reg, Dual Rank)  
 Disk Subsystem: 1 x 73 SATA 15000 RPM  
 Other Hardware: None

## Software

Operating System: SUSE Linux Enterprise Server 10 (x86\_64) SP2, Kernel 2.6.16-60.0.21-smp  
 Compiler: PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1  
 Auto Parallel: No  
 File System: ReiserFS  
 System State: Run level 3 (multi-user)  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap 8.0 32-bit Library for Linux



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint\_rate2006 = 97.1

PowerEdge M805 (AMD Opteron 2354, 2.2 GHz)

SPECint\_rate\_base2006 = 84.4

CPU2006 license: 55

Test date: Aug-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Results Table

| Benchmark      | Base   |                    |                    |                    |                    |                    |                   | Peak   |                   |                    |                    |                    |                    |                    |
|----------------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|-------------------|--------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|                | Copies | Seconds            | Ratio              | Seconds            | Ratio              | Seconds            | Ratio             | Copies | Seconds           | Ratio              | Seconds            | Ratio              | Seconds            | Ratio              |
| 400.perlbench  | 8      | 863                | 90.5               | <b><u>865</u></b>  | <b><u>90.4</u></b> | 867                | 90.1              | 8      | 651               | 120                | 647                | 121                | <b><u>648</u></b>  | <b><u>121</u></b>  |
| 401.bzip2      | 8      | 1181               | 65.4               | <b><u>1189</u></b> | <b><u>64.9</u></b> | 1190               | 64.9              | 8      | 1145              | 67.4               | 1137               | 67.9               | <b><u>1138</u></b> | <b><u>67.9</u></b> |
| 403.gcc        | 8      | 1074               | 59.9               | <b><u>1063</u></b> | <b><u>60.6</u></b> | 1062               | 60.7              | 8      | <b><u>909</u></b> | <b><u>70.8</u></b> | 909                | 70.8               | 903                | 71.3               |
| 429.mcf        | 8      | 1170               | 62.4               | <b><u>1187</u></b> | <b><u>61.4</u></b> | 1188               | 61.4              | 8      | 891               | 81.8               | <b><u>891</u></b>  | <b><u>81.9</u></b> | 891                | 81.9               |
| 445.gobmk      | 8      | 940                | 89.3               | <b><u>939</u></b>  | <b><u>89.4</u></b> | 938                | 89.5              | 8      | <b><u>763</u></b> | <b><u>110</u></b>  | 764                | 110                | 763                | 110                |
| 456.hmmer      | 8      | 662                | 113                | <b><u>659</u></b>  | <b><u>113</u></b>  | 646                | 116               | 8      | <b><u>441</u></b> | <b><u>169</u></b>  | 440                | 170                | 442                | 169                |
| 458.sjeng      | 8      | <b><u>1040</u></b> | <b><u>93.1</u></b> | 1040               | 93.1               | 1038               | 93.3              | 8      | <b><u>949</u></b> | <b><u>102</u></b>  | 948                | 102                | 950                | 102                |
| 462.libquantum | 8      | 1155               | 143                | 1155               | 144                | <b><u>1155</u></b> | <b><u>143</u></b> | 8      | 1150              | 144                | 1151               | 144                | <b><u>1151</u></b> | <b><u>144</u></b>  |
| 464.h264ref    | 8      | 1234               | 144                | 1237               | 143                | <b><u>1235</u></b> | <b><u>143</u></b> | 8      | 1199              | 148                | <b><u>1197</u></b> | <b><u>148</u></b>  | 1196               | 148                |
| 471.omnetpp    | 8      | 831                | 60.1               | <b><u>831</u></b>  | <b><u>60.2</u></b> | 830                | 60.3              | 8      | 831               | 60.1               | <b><u>831</u></b>  | <b><u>60.2</u></b> | 830                | 60.3               |
| 473.astar      | 8      | 910                | 61.7               | <b><u>910</u></b>  | <b><u>61.7</u></b> | 909                | 61.8              | 8      | <b><u>876</u></b> | <b><u>64.1</u></b> | 875                | 64.2               | 877                | 64.1               |
| 483.xalancbmk  | 8      | <b><u>668</u></b>  | <b><u>82.6</u></b> | 668                | 82.6               | 669                | 82.6              | 8      | 586               | 94.2               | <b><u>586</u></b>  | <b><u>94.2</u></b> | 586                | 94.2               |

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 150
'ulimit -s unlimited' was used to set environment stack size
mount -t hugetlbfs nodev /mnt/hugepages
```

## Base Compiler Invocation

C benchmarks:

pgcc

C++ benchmarks:

pgcpp

## Base Portability Flags

```
400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint\_rate2006 = 97.1

PowerEdge M805 (AMD Opteron 2354, 2.2 GHz)

SPECint\_rate\_base2006 = 84.4

CPU2006 license: 55

Test date: Aug-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Base Portability Flags (Continued)

464.h264ref: -DSPEC\_CPU\_LP64  
483.xalancbmk: -DSPEC\_CPU\_LINUX

## Base Optimization Flags

C benchmarks:

-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150  
-tp barcelona-64 -Bstatic\_pgi

C++ benchmarks:

-fastsse -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150  
--zc\_eh -tp barcelona -Bstatic\_pgi

## Base Other Flags

C benchmarks:

-w -Mipa=jobs:4

C++ benchmarks:

-w -Mipa=jobs:4

## Peak Compiler Invocation

C benchmarks (except as noted below):

pgcc

400.perlbench: pathcc

403.gcc: pathcc

445.gobmk: pathcc

C++ benchmarks (except as noted below):

pathCC

471.omnetpp: pgcpp

## Peak Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
401.bzip2: -DSPEC\_CPU\_LP64

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint\_rate2006 = 97.1

PowerEdge M805 (AMD Opteron 2354, 2.2 GHz)

SPECint\_rate\_base2006 = 84.4

CPU2006 license: 55

Test date: Aug-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Peak Portability Flags (Continued)

445.gobmk: -DSPEC\_CPU\_LP64  
 456.hmmer: -DSPEC\_CPU\_LP64  
 458.sjeng: -DSPEC\_CPU\_LP64  
 462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
 464.h264ref: -DSPEC\_CPU\_LP64  
 483.xalancbmk: -DSPEC\_CPU\_LINUX

## Peak Optimization Flags

C benchmarks:

400.perlbench: -march=barcelona -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -Ofast -IPA:plimit=20000 -LNO:opt=0  
 -WOPT:if\_conv=0 -CG:local\_sched\_alg=1

401.bzip2: -Mpfi(pass 1) -Mpfo(pass 2) -fast -O4  
 -Msmartalloc=huge:150 -Mnounroll -tp barcelona-64  
 -Bstatic\_pgi

403.gcc: -march=barcelona -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -m32 -O3 -OPT:Ofast

429.mcf: -fastsse -Mipa=fast -Mipa=inline:1 -Msmartalloc=huge:150  
 -tp barcelona -Bstatic\_pgi

445.gobmk: -march=barcelona -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -O3 -OPT:alias=restrict -LNO:opt=0  
 -CG:p2align=on

456.hmmer: -fastsse -Munroll=n:8 -Msmartalloc=huge:150 -Mfp relaxed  
 -Mvect=partial -Msafeptr -Mipa=const -Mipa=ptr -Mipa=arg  
 -Mipa=inline -tp barcelona-64 -Bstatic\_pgi

458.sjeng: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline:1(pass 2)  
 -Mipa=noarg(pass 2) -Mpfo(pass 2) -fastsse  
 -Msmartalloc=huge:150 -Mfp relaxed -tp barcelona-64  
 -Bstatic\_pgi

462.libquantum: -fastsse -Mfp relaxed -Msmartalloc=huge:150 -Munroll=m:8  
 -Mipa=fast -Mipa=inline -Mipa=noarg -tp barcelona-64  
 -Bstatic\_pgi

464.h264ref: -Mpfi=indirect(pass 1) -Mipa=fast(pass 2)  
 -Mipa=inline(pass 2) -Mpfo=indirect(pass 2) -fastsse  
 -Msmartalloc=huge:150 -Mfp relaxed -tp barcelona-64  
 -Bstatic\_pgi

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint\_rate2006 = 97.1

PowerEdge M805 (AMD Opteron 2354, 2.2 GHz)

SPECint\_rate\_base2006 = 84.4

CPU2006 license: 55

Test date: Aug-2008

Test sponsor: Dell Inc.

Hardware Availability: Aug-2008

Tested by: Dell Inc.

Software Availability: May-2008

## Peak Optimization Flags (Continued)

C++ benchmarks:

471.omnetpp: basepeak = yes

473.astar: -march=barcelona -Ofast -TENV:frame\_pointer=off  
-WOPT:if\_conv=0 -GRA:optimize\_boundary=on -IPA:plimit=525  
-m32 -lsmartheap

483.xalancbmk: -march=barcelona -Ofast -m32 -OPT:unroll\_times\_max=8  
-CG:push\_pop\_int\_saved\_regs=off -CG:ptr\_load\_use=0  
-lsmartheap

## Peak Other Flags

C benchmarks (except as noted below):

-w -Mipa=jobs:4(pass 2)

400.perlbench: No flags used

401.bzip2: -w

403.gcc: No flags used

445.gobmk: No flags used

C++ benchmarks (except as noted below):

-L/root/work/cpu2006/amd123GH.libs/32

471.omnetpp: -w -Mipa=jobs:4

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Jul 22 19:00:39 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 2 September 2008.