



SPEC[®] CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp[®]_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11


Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010



Hardware

CPU Name: POWER7
 CPU Characteristics: TurboCore mode
 CPU MHz: 4256
 FPU: Integrated
 CPU(s) enabled: 128 cores, 32 chips, 4 cores/chip, 4 threads/core
 CPU(s) orderable: 48 - 128 cores
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core

Continued on next page

Software

Operating System: SUSE Linux Enterprise Server 11 SP1 (ppc64), Kernel 2.6.32.12-0.7-ppc64
 Compiler: IBM XL C/C++ for Linux, V11.1
 IBM XL Fortran for Linux, V13.1
 Auto Parallel: No
 File System: xfs
 System State: Run level 5 (multi-user)
 Base Pointers: 32-bit

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **5860**

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Aug-2010

Hardware Availability: Sep-2010

Software Availability: Aug-2010

L3 Cache: 4 MB I+D on chip per core
Other Cache: 16 MB I+D on chip per chip
Memory: 2 TB (256x8 GB) DDR3 1066 MHz
Disk Subsystem: 17x146.8 GB Raid0 SAS SFF 15K RPM
Other Hardware: None

Peak Pointers: 32/64-bit
Other Software: -Post-Link Optimization for Linux on POWER, Version 5.5.0-3
-MicroQuill SmartHeap 9
-Apache C++ Standard Library V4.2.1

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	512	802	8680	804	8650	806	8630	512	802	8680	804	8650	806	8630
416.gamess	512	2210	4540	2213	4530	2212	4530	512	2105	4760	2100	4770	2110	4750
433.milc	512	566	8300	570	8250	568	8270	512	566	8300	570	8250	568	8270
434.zeusmp	512	973	4790	993	4690	981	4750	512	973	4790	993	4690	981	4750
435.gromacs	512	994	3680	996	3670	994	3680	512	767	4760	757	4830	764	4780
436.cactusADM	512	1075	5690	1069	5720	1067	5740	512	866	7070	874	7000	861	7110
437.leslie3d	512	1091	4410	1099	4380	1096	4390	128	267	4510	265	4530	266	4530
444.namd	512	699	5870	701	5860	699	5880	512	682	6020	681	6030	683	6010
447.dealII	512	674	8690	680	8610	676	8660	512	526	11100	523	11200	524	11200
450.soplex	512	1161	3680	1160	3680	1162	3670	256	569	3750	570	3740	573	3730
453.povray	512	540	5040	548	4970	543	5020	512	524	5200	520	5230	519	5240
454.calculix	512	989	4270	955	4420	957	4410	512	961	4400	953	4430	958	4410
459.GemsFDTD	512	1431	3800	1437	3780	1443	3760	512	1322	4110	1318	4120	1330	4080
465.tonto	512	1571	3210	1571	3210	1572	3200	512	897	5620	855	5890	855	5900
470.lbm	512	713	9860	707	9950	705	9980	512	713	9860	707	9950	705	9980
481.wrf	512	1312	4360	1294	4420	1312	4360	512	1055	5420	1025	5580	1026	5580
482.sphinx3	512	1730	5770	1730	5770	1732	5760	512	1700	5870	1701	5870	1694	5890

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Peak Tuning Notes

fdpr binary optimization tool used for:
433.milc 435.gromacs 436.cactusADM 450.soplex 482.sphinx3
with options -O4 -nodp
434.zeusmp
with options -O4 -vrox -nodp
437.leslie3d 444.namd
with options -O3 -lu -l -1 -nodp -sdp 9
465.tonto
with options -O4



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010

Submit Notes

The config file option 'submit' was used.
Benchmarks bound to a processor using numactl on the submit command.

Operating System Notes

ulimit -s (stack) set to 1048576.
Large pages reserved as follows by root user:
echo 34304 > /proc/sys/vm/nr_hugepages
The following environment variables were set before the runspec command:
export HUGETLB_VERBOSE=0
export HUGETLB_MORECORE=yes
export HUGETLB_ELFMAP=W
export XLFRTEOPTS=intrinthds=1

General Notes

447.dealIII (peak): "apache_stdclx_4_2_1" src.alt was used.
The Apache C++ Standard Library V4.2.1 was installed from
<http://stdclx.apache.org/download.html> using:
gmake BUILDTYPE=8d CONFIG=gcc.config

Base Compiler Invocation

C benchmarks:
xlc -qlanglvl=extc99

C++ benchmarks:
xlC

Fortran benchmarks:
xlf95

Benchmarks using both Fortran and C:
xlc -qlanglvl=extc99 xlf95

Base Portability Flags

410.bwaves: -qfixed
416.gamess: -qfixed
434.zeusmp: -qfixed
435.gromacs: -qfixed -qextname
436.cactusADM: -qfixed -qextname
437.leslie3d: -qfixed
454.calculix: -qfixed -qextname
481.wrf: -DNOUNDERSCORE

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010

Base Portability Flags (Continued)

482.sphinx3: -qchars=signed

Base Optimization Flags

C benchmarks:

-O5 -qarch=pwr7 -qtune=pwr7 -lhugetlbfs

C++ benchmarks:

-O5 -qarch=pwr7 -qtune=pwr7 -qrtti -lhugetlbfs

Fortran benchmarks:

-O5 -qarch=pwr7 -qtune=pwr7 -qsmallstack=dynlenonheap -qalias=nostd
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

Benchmarks using both Fortran and C:

-O5 -qarch=pwr7 -qtune=pwr7 -qsmallstack=dynlenonheap -qalias=nostd
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

Base Other Flags

C benchmarks:

-qipa=noobject -qipa=threads

C++ benchmarks:

-qipa=noobject -qipa=threads

Fortran benchmarks:

-qipa=noobject -qipa=threads

Benchmarks using both Fortran and C:

-qipa=noobject -qipa=threads

Peak Compiler Invocation

C benchmarks:

xlc -qlanglvl=extc99

C++ benchmarks:

xlc

Fortran benchmarks:

xlf95

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010

Peak Compiler Invocation (Continued)

Benchmarks using both Fortran and C:

xlc -qlanglvl=extc99 xlf95

Peak Portability Flags

410.bwaves: -qfixed
 416.gamess: -qfixed
 434.zeusmp: -qfixed
 435.gromacs: -qfixed -qextname
 436.cactusADM: -DSPEC_CPU_LP64 -qfixed -qextname
 437.leslie3d: -qfixed
 453.povray: -DSPEC_CPU_LP64
 454.calculix: -qfixed -qextname
 481.wrf: -DNOUNDERSCORE
 482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: basepeak = yes

470.lbm: basepeak = yes

482.sphinx3: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -lhugetlbfs

C++ benchmarks:

444.namd: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7
-qtune=pwr7 -lhugetlbfs

447.dealIII: -O4 -qarch=pwr7 -qtune=pwr7 -qrtti
-qcpp_stdinc=/root/stdcxx421/include/ansi:/root/stdcxx421/include
-lsmartheap -lhugetlbfs -L/root/stdcxx421/lib
-R/root/stdcxx421/lib -lstd8d

450.soplex: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qtune=auto
-qarch=pwr5 -lhugetlbfs

453.povray: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qsimd -q64 -lsmartheap64

Fortran benchmarks:

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010

Peak Optimization Flags (Continued)

410.bwaves: basepeak = yes

416.gamess: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7 -qtune=pwr7
-qalias=nostd -lhugetlbfs

434.zeusmp: basepeak = yes

437.leslie3d: -Wl, -q -O5 -qarch=pwr7 -qtune=pwr7 -q64
-B/usr/share/libhugetlbfs/ -tl -Wl, --hugetlbfs-align

459.GemsFDTD: -O4 -qarch=pwr7 -qtune=pwr7 -qsimd
-B/usr/share/libhugetlbfs/ -tl -Wl, --hugetlbfs-align

465.tonto: -Wl, -q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7
-qtune=pwr7 -qsimd -lhugetlbfs

Benchmarks using both Fortran and C:

435.gromacs: -Wl, -q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qarch=pwr7
-qtune=pwr7 -qsimd -lhugetlbfs

436.cactusADM: -Wl, -q -O4 -qarch=pwr7 -qtune=pwr7 -qsimd -qnostrict
-q64 -lhugetlbfs

454.calculix: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=pwr7 -qtune=pwr7
-B/usr/share/libhugetlbfs/ -tl -Wl, --hugetlbfs-align

481.wrf: -O3 -qarch=pwr7 -qtune=pwr7 -q64 -lhugetlbfs

Peak Other Flags

C benchmarks:

-qipa=noobject -qipa=threads

C++ benchmarks:

-qipa=noobject -qipa=threads

Fortran benchmarks:

-qipa=noobject -qipa=threads

Benchmarks using both Fortran and C:

-qipa=noobject -qipa=threads

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20100901.html>



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 5860

IBM Power 795 (4.25 GHz, 128 core, SLES)

SPECfp_rate_base2006 = 5260

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Aug-2010

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20100901.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Wed Jul 23 13:56:10 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 9 November 2010.