



# SPEC<sup>®</sup> CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Tyan

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

SPECfp<sup>®</sup>2006 = 43.6

SPECfp\_base2006 = 38.2

CPU2006 license: 49


Test sponsor: Advanced Micro Devices

Tested by: Advanced Micro Devices

Test date: Jan-2012

Hardware Availability: Nov-2011

Software Availability: Jul-2011



## Hardware

CPU Name: AMD Opteron 4228 HE  
 CPU Characteristics: AMD Turbo CORE technology up to 3.60 GHz  
 CPU MHz: 2800  
 FPU: Integrated  
 CPU(s) enabled: 12 cores, 2 chips, 6 cores/chip  
 CPU(s) orderable: 1,2 chips

Continued on next page

## Software

Operating System: Red Hat Enterprise Linux Server release 6.1,  
Kernel 2.6.32-131.0.15.el6.x86\_64  
 Compiler: C/C++/Fortran: Version 4.2.5.2 of x86 Open64  
Compiler Suite (from AMD)  
 Auto Parallel: Yes  
 File System: ext3  
 System State: Run level 3 (Full multiuser with network)  
 Base Pointers: 64-bit  
 Peak Pointers: 32/64-bit

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

**Primary Cache:** 192 KB I on chip per chip,  
64 KB I shared / 2 cores;  
16 KB D on chip per core

**Secondary Cache:** 6 MB I+D on chip per chip, 2 MB shared / 2 cores

**L3 Cache:** 8 MB I+D on chip per chip

**Other Cache:** None

**Memory:** 32 GB (4 x 8 GB 2Rx4 PC3-12800R-11, ECC)

**Disk Subsystem:** 1 x 128 GB SATA, 7200 RPM

**Other Hardware:** None

**Other Software:** None

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	<b><u>95.9</u></b>	<b><u>142</u></b>	96.0	142	95.9	142	<b><u>85.0</u></b>	<b><u>160</u></b>	85.1	160	84.8	160
416.gamess	970	20.2	970	20.2	<b><u>970</u></b>	<b><u>20.2</u></b>	<b><u>913</u></b>	<b><u>21.4</u></b>	913	21.4	913	21.4
433.milc	<b><u>273</u></b>	<b><u>33.6</u></b>	273	33.6	273	33.6	<b><u>228</u></b>	<b><u>40.3</u></b>	228	40.3	228	40.3
434.zeusmp	137	66.3	<b><u>137</u></b>	<b><u>66.5</u></b>	137	66.5	134	67.8	135	67.6	<b><u>135</u></b>	<b><u>67.6</u></b>
435.gromacs	<b><u>322</u></b>	<b><u>22.2</u></b>	322	22.2	322	22.2	306	23.3	306	23.3	<b><u>306</u></b>	<b><u>23.3</u></b>
436.cactusADM	71.5	167	<b><u>71.3</u></b>	<b><u>168</u></b>	71.2	168	68.0	176	<b><u>68.1</u></b>	<b><u>176</u></b>	68.4	175
437.leslie3d	370	25.4	<b><u>371</u></b>	<b><u>25.3</u></b>	371	25.3	<b><u>342</u></b>	<b><u>27.5</u></b>	341	27.5	343	27.4
444.namd	442	18.2	442	18.2	<b><u>442</u></b>	<b><u>18.2</u></b>	430	18.6	<b><u>430</u></b>	<b><u>18.6</u></b>	430	18.6
447.dealII	273	42.0	<b><u>271</u></b>	<b><u>42.2</u></b>	271	42.2	246	46.5	<b><u>246</u></b>	<b><u>46.5</u></b>	246	46.5
450.soplex	347	24.1	346	24.1	<b><u>347</u></b>	<b><u>24.1</u></b>	321	26.0	<b><u>321</u></b>	<b><u>26.0</u></b>	322	25.9
453.povray	<b><u>231</u></b>	<b><u>23.1</u></b>	231	23.1	231	23.0	214	24.8	215	24.8	<b><u>215</u></b>	<b><u>24.8</u></b>
454.calculix	276	29.9	<b><u>276</u></b>	<b><u>29.9</u></b>	276	29.9	243	34.0	<b><u>243</u></b>	<b><u>34.0</u></b>	243	34.0
459.GemsFDTD	256	41.4	<b><u>257</u></b>	<b><u>41.3</u></b>	257	41.3	<b><u>219</u></b>	<b><u>48.4</u></b>	219	48.4	219	48.5
465.tonto	457	21.5	457	21.6	<b><u>457</u></b>	<b><u>21.5</u></b>	378	26.0	378	26.0	<b><u>378</u></b>	<b><u>26.0</u></b>
470.lbm	<b><u>125</u></b>	<b><u>110</u></b>	125	110	125	110	<b><u>66.0</u></b>	<b><u>208</u></b>	66.2	208	65.7	209
481.wrf	<b><u>263</u></b>	<b><u>42.5</u></b>	263	42.5	262	42.7	253	44.2	253	44.1	<b><u>253</u></b>	<b><u>44.2</u></b>
482.sphinx3	810	24.1	<b><u>810</u></b>	<b><u>24.1</u></b>	810	24.1	595	32.7	595	32.7	<b><u>595</u></b>	<b><u>32.7</u></b>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Submit Notes

The config file option 'submit' was used.  
'numactl' was used to bind copies to the cores.  
See the configuration file for details.

## Operating System Notes

'ulimit -s unlimited' was used to set environment stack size  
'ulimit -l 2097152' was used to set environment locked pages in memory limit

Set transparent\_hugepage=never as a boot parameter in /boot/grub/menu.lst  
Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

## Operating System Notes (Continued)

Set kernel/randomize\_va\_space=0 in /etc/sysctl.conf  
cpuspeed stop was used to set the CPU frequency to its maximum.

Set vm/nr\_hugepages=2000 in /etc/sysctl.conf  
mount -t hugetlbfs nodev /mnt/hugepages

## General Notes

Environment variables set by runspec before the start of the run:

LD\_LIBRARY\_PATH = "/root/work/cpu2006v1.2/amd1104-speed-libs-revA/32:/root/work/cpu2006v1.2/amd1104-speed-libs-revA/64"

O64\_OMP\_AFFINITY\_MAP = "0,1,2,3,4,5,6,7,8,9,10,11"

O64\_OMP\_SPIN\_COUNT = "800000"

O64\_OMP\_SPIN\_USER\_LOCK = "true"

The x86 Open64 Compiler Suite is only available from (and supported by) AMD at  
<http://developer.amd.com/cpu/open64>

Binaries were compiled on a system with 2x AMD Opteron 6220 chips + 64GB Memory using RHEL 6.1

## Base Compiler Invocation

C benchmarks:  
opencc

C++ benchmarks:  
openCC

Fortran benchmarks:  
openf95

Benchmarks using both Fortran and C:  
opencc openf95

## Base Portability Flags

410.bwaves: -DSPEC\_CPU\_LP64  
416.gamess: -DSPEC\_CPU\_LP64  
433.milc: -DSPEC\_CPU\_LP64  
434.zeusmp: -DSPEC\_CPU\_LP64  
435.gromacs: -DSPEC\_CPU\_LP64  
436.cactusADM: -DSPEC\_CPU\_LP64 -fno-second-underscore  
437.leslie3d: -DSPEC\_CPU\_LP64  
444.namd: -DSPEC\_CPU\_LP64  
447.dealII: -DSPEC\_CPU\_LP64  
450.soplex: -DSPEC\_CPU\_LP64  
453.povray: -DSPEC\_CPU\_LP64

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

## Base Portability Flags (Continued)

454.calculix: -DSPEC\_CPU\_LP64  
 459.GemsFDTD: -DSPEC\_CPU\_LP64  
 465.tonto: -DSPEC\_CPU\_LP64  
 470.lbm: -DSPEC\_CPU\_LP64  
 481.wrf: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX -DSPEC\_CPU\_CASE\_FLAG  
           -fno-second-underscore  
 482.sphinx3: -DSPEC\_CPU\_LP64

## Base Optimization Flags

C benchmarks:

-march=bdver1 -Ofast -HP:bdt=2m:heap=2m -apo -mso  
 -OPT:alias=restricted -OPT:malloc\_alg=2 -LNO:parallel\_overhead=10000

C++ benchmarks:

-march=bdver1 -Ofast -static -CG:load\_exe=0 -CG:p2align=0  
 -INLINE:aggressive=on -HP:bdt=2m:heap=2m -D\_\_OPEN64\_FAST\_SET

Fortran benchmarks:

-march=bdver1 -Ofast -LNO:blocking=off -LNO:fusion\_peeling\_limit=0  
 -LNO:parallel\_overhead=10000 -OPT:rsqrt=2 -OPT:unroll\_size=256  
 -HP:bdt=2m:heap=2m -apo

Benchmarks using both Fortran and C:

-march=bdver1 -Ofast -HP:bdt=2m:heap=2m -apo -mso  
 -OPT:alias=restricted -OPT:malloc\_alg=2 -LNO:parallel\_overhead=10000  
 -LNO:blocking=off -LNO:fusion\_peeling\_limit=0 -OPT:rsqrt=2  
 -OPT:unroll\_size=256

## Peak Compiler Invocation

C benchmarks:

opencc

C++ benchmarks:

openCC

Fortran benchmarks:

openf95

Benchmarks using both Fortran and C:

opencc openf95



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

## Peak Portability Flags

```

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64
436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -DSPEC_CPU_CASE_FLAG
-fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

```

## Peak Optimization Flags

C benchmarks:

```

433.milc: -march=bdver1 -Ofast -CG:movnti=1 -CG:locs_best=on
-HP:bdt=2m:heap=2m -IPA:plimit=7000 -IPA:callee_limit=1200
-OPT:struct_array_copy=2 -OPT:alias=field_sensitive

470.lbm: -march=bdver1 -Ofast -mso -apo -CG:sse_cse_regs=0
-LNO:prefetch_ahead=4 -CG:locs_shallow_depth=1
-CG:cmp_peep=on -CG:compute_to=on -OPT:unroll_times_max=8
-OPT:unroll_size=256 -OPT:unroll_level=2 -OPT:keep_ext=on
-OPT:alias=restricted -m3dnow -IPA:inline=off

482.sphinx3: -march=bdver1 -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -LNO:loop_model_simd=on
-LNO:simd_rm_unity_remainder=on -OPT:malloc_alg=2
-CG:cmp_peep=on -CG:local_sched_alg=2 -CG:use_incdec=off
-INLINE:aggressive=on -WOPT:sib=on -HP

```

C++ benchmarks:

```

444.namd: -march=bdver1 -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -LNO:ignore_feedback=off
-CG:local_sched_alg=2 -CG:load_exe=0 -OPT:unroll_size=256
-fno-exceptions -HP:bdt=2m:heap=2m

447.dealII: -march=bdver1 -Ofast -LNO:simd=0 -D__OPEN64_FAST_SET
-static -INLINE:aggressive=on -OPT:alias=disjoint
-OPT:unroll_times_max=8 -OPT:unroll_size=256
-OPT:unroll_level=2 -HP:bdt=2m:heap=2m

```

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

## Peak Optimization Flags (Continued)

450.soplex: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -O3 -INLINE:aggressive=on -OPT:RO=1  
-OPT:IEEE\_arith=3 -OPT:IEEE\_NaN\_Inf=off  
-OPT:fold\_unsigned\_relops=on -fno-exceptions -CG:p2align=0  
-m32 -HP:bdt=2m:heap=2m -WOPT:sib=on

453.povray: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -CG:pre\_local\_sched=off  
-INLINE:aggressive=on -HP:bdt=2m:heap=2m -OPT:transform=2  
-OPT:alias=disjoint -WOPT:aggcm=0

### Fortran benchmarks:

410.bwaves: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -apo -OPT:Ofast  
-OPT:treeheight=on -LNO:blocking=off -LNO:prefetch=2  
-LNO:pf2=0 -LNO:prefetch\_ahead=3 -LNO:ignore\_feedback=off  
-LNO:fu=4 -LNO:loop\_model\_simd=on  
-LNO:simd\_rm\_unity\_remainder=on -WOPT:aggstr=0  
-HP:bdt=2m:heap=2m -CG:cmp\_peep=on -CG:p2align=0

416.gamess: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -O3 -LNO:fu=6 -LNO:blocking=0  
-LNO:simd=0 -OPT:Ofast -OPT:ro=3 -OPT:unroll\_size=256  
-OPT:unroll\_times\_max=2 -CG:local\_sched\_alg=1  
-HP:bdt=2m:heap=2m -WOPT:sib=on

434.zeusmp: -march=bdver1 -Ofast -apo -LNO:blocking=off  
-LNO:interchange=off -LNO:fusion\_peeling\_limit=0  
-OPT:treeheight=on -OPT:unroll\_size=256 -CG:cmp\_peep=on  
-CG:compute\_to=on -GRA:prioritize\_by\_density=on  
-HP:bdt=2m:heap=2m

437.leslie3d: -march=bdver1 -Ofast -LNO:prefetch=2 -LNO:blocking=off  
-CG:interior\_ptrs=on -OPT:unroll\_size=256  
-GRA:prioritize\_by\_density=on -HP:bdt=2m:heap=2m

459.GemsFDTD: -march=bdver1 -Ofast -OPT:unroll\_size=0 -LNO:fission=2  
-CG:load\_exe=0 -CG:local\_sched\_alg=2 -HP -apo

465.tonto: -march=bdver1 -Ofast -OPT:alias=no\_f90\_pointer\_alias  
-LNO:blocking=off -CG:load\_exe=1 -CG:local\_sched\_alg=1  
-IPA:plimit=525 -HP

### Benchmarks using both Fortran and C:

435.gromacs: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -OPT:rsqrt=2  
-HP:bdt=2m:heap=2m

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Tyan**

(Test Sponsor: Advanced Micro Devices)

Tyan YR190-B8228,  
AMD Opteron 4228 HE

**SPECfp2006 = 43.6**

**SPECfp\_base2006 = 38.2**

**CPU2006 license:** 49

**Test sponsor:** Advanced Micro Devices

**Tested by:** Advanced Micro Devices

**Test date:** Jan-2012

**Hardware Availability:** Nov-2011

**Software Availability:** Jul-2011

## Peak Optimization Flags (Continued)

436.cactusADM: -march=bdver1 -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -LNO:blocking=off  
-LNO:prefetch=2 -HP:bdt=2m:heap=2m -CG:locs\_shallow\_depth=1  
-CG:load\_exe=0 -WOPT:sib=on -apo

454.calculix: -march=bdver1 -Ofast -OPT:unroll\_size=256  
-GRA:optimize\_boundary=on -HP:bdt=2m:heap=2m

481.wrf: -march=bdver1 -Ofast -OPT:unroll\_size=256 -LNO:blocking=off  
-LANG:copyinout=off -IPA:callee\_limit=5000  
-GRA:prioritize\_by\_density=on -CG:load\_exe=1 -HP  
-WOPT:sib=on -apo

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/x86-open64-425-flags-speed-revA.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/x86-open64-425-flags-speed-revA.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.  
Report generated on Thu Jul 24 02:00:06 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 24 February 2012.