



SPEC[®] CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp[®]_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11


Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013



Hardware

CPU Name: POWER7+
 CPU Characteristics: Intelligent Energy Optimization enabled, up to 4.431 GHz
 CPU MHz: 4060
 FPU: Integrated
 CPU(s) enabled: 32 cores, 8 chips, 4 cores/chip, 4 threads/core
 CPU(s) orderable: 16, 32 cores
 Primary Cache: 32 KB I + 32 KB D on chip per core

Continued on next page

Software

Operating System: Red Hat Enterprise Linux Server release 6.4 (ppc64) kernel 2.6.32-358.6.1.el6.ppc64
 Compiler: C/C++: Version 12.1 of IBM XL C/C++ for Linux
 Fortran: Version 14.1 of IBM XL Fortran for Linux
 Auto Parallel: No
 File System: ext4
 System State: Run level 3 (multi-user)
 Base Pointers: 32-bit
 Peak Pointers: 32/64-bit

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013

Secondary Cache: 256 KB I+D on chip per core
 L3 Cache: 10 MB I+D on chip per core
 Other Cache: None
 Memory: 256 GB (64 x 4 GB) DDR3 1066 MHz
 Disk Subsystem: 1 x 300 GB SAS SFF 15K RPM
 Other Hardware: None

Other Software: -Post-Link Optimization for Linux on POWER, version 5.6.2-1
 -MicroQuill SmartHeap 9
 -Apache C++ Standard Library V4.2.1

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	128	2061	844	2020	861	2025	859	32	454	958	454	958	456	953
416.gamess	128	2192	1140	2189	1150	2199	1140	128	2116	1180	2175	1150	2125	1180
433.milc	128	1322	889	1321	889	1324	887	32	315	934	315	933	316	931
434.zeusmp	128	942	1240	931	1250	927	1260	128	942	1240	931	1250	927	1260
435.gromacs	128	904	1010	902	1010	904	1010	128	880	1040	894	1020	888	1030
436.cactusADM	128	1254	1220	1255	1220	1253	1220	32	239	1600	238	1610	239	1600
437.leslie3d	128	2022	595	2027	594	2032	592	32	420	717	422	713	422	713
444.namd	128	689	1490	690	1490	688	1490	128	673	1530	673	1530	666	1540
447.dealII	128	700	2090	683	2140	686	2130	128	568	2580	570	2570	591	2480
450.soplex	128	1969	542	1958	545	1966	543	128	2034	525	1708	625	1644	649
453.povray	128	591	1150	591	1150	587	1160	128	422	1610	422	1610	421	1620
454.calculix	128	834	1270	833	1270	835	1260	128	834	1270	833	1270	835	1260
459.GemsFDTD	128	2852	476	2856	475	2842	478	64	1421	478	1421	478	1422	478
465.tonto	128	886	1420	892	1410	884	1420	128	848	1490	850	1480	848	1490
470.lbm	128	1355	1300	1356	1300	1358	1290	128	1355	1300	1356	1300	1358	1290
481.wrf	128	1349	1060	1354	1060	1350	1060	128	1355	1060	1371	1040	1331	1070
482.sphinx3	128	2393	1040	2396	1040	2398	1040	32	397	1570	386	1620	385	1620

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

C/C++ compiler updated to April 2013 PTF
 Version: 12.01.0000.0003
 Fortran compiler updated to April 2013 PTF
 Version: 14.01.0000.0003

Peak Tuning Notes

Post-Link optimization tool used for:
 433.milc 435.gromacs 450.soplex 482.sphinx3
 with options -O4 -nodp
 434.zeusmp
 with options -O4 -vrox -nodp
 437.leslie3d

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: May-2013

Hardware Availability: Aug-2013

Software Availability: Apr-2013

Peak Tuning Notes (Continued)

```

with options -O3 -lu -1 -nodp -sdp 9
444.namd
with options -O3 -lu -1 -nodp -sdp 9
450.soplex
with options -O4 -nodp
465.tonto
with options -O4
482.sphinx3
with options -O4 -nodp

```

Submit Notes

The config file option 'submit' was used to assign benchmark copy to specific kernel thread using the "numactl" command (see flags file for details).

Operating System Notes

ulimit -s (stack) set to 1048576.

Large pages reserved as follows by root user:
echo 8448 > /proc/sys/vm/nr_hugepages

The Apache C++ Standard Library V4.2.1 was installed from <http://stdcxx.apache.org/download.html> using:
gmake BUILDTYPE=8d CONFIG=gcc.config

crashkernel was set to 256 MB in /etc/yaboot.conf file.

General Notes

Environment variables set by runspec before the start of the run:

```

HUGETLB_ELFMAP = "RW"
HUGETLB_MORECORE = "yes"
HUGETLB_VERBOSE = "0"
XLFRTOPTIONS = "intrinths=1"

```

Base Compiler Invocation

C benchmarks:
xlc -qlanglvl=extc99

C++ benchmarks:
xlC

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013

Base Compiler Invocation (Continued)

Fortran benchmarks:

xlf95

Benchmarks using both Fortran and C:

xlc -qlanglvl=extc99 xlf95

Base Portability Flags

410.bwaves: -qfixed

416.gamess: -qfixed

434.zeusmp: -qfixed

435.gromacs: -qextname -qfixed

436.cactusADM: -qextname -qfixed

437.leslie3d: -qfixed

454.calculix: -qextname -qfixed

481.wrf: -DNOUNDERSCORE

482.sphinx3: -qchars=signed

Base Optimization Flags

C benchmarks:

-O5 -qarch=auto -qtune=auto -qipa=threads -B/usr/share/libhugetlbfs/

-tl -Wl,--hugetlbfs-align

C++ benchmarks:

-O5 -qarch=auto -qtune=auto -qipa=threads -qrtti

-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

Fortran benchmarks:

-O5 -qarch=auto -qtune=auto -qipa=threads -qalias=nostd

-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

Benchmarks using both Fortran and C:

-O5 -qarch=auto -qtune=auto -qipa=threads -B/usr/share/libhugetlbfs/

-tl -Wl,--hugetlbfs-align -qalias=nostd

Base Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Continued on next page

Standard Performance Evaluation Corporation

info@spec.org

http://www.spec.org/

Page 4



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013

Base Other Flags (Continued)

Benchmarks using both Fortran and C:

Peak Compiler Invocation

C benchmarks:

xlc -qlanglvl=extc99

C++ benchmarks:

xlC

Fortran benchmarks:

xlF95

Benchmarks using both Fortran and C:

xlc -qlanglvl=extc99 xlF95

Peak Portability Flags

410.bwaves: -qfixed
 416.gamess: -qfixed
 434.zeusmp: -qfixed
 435.gromacs: -qextname -qfixed
 436.cactusADM: -DSPEC_CPU_LP64 -qfixed -qextname
 437.leslie3d: -qfixed
 453.povray: -DSPEC_CPU_LP64
 454.calculix: -qextname -qfixed
 481.wrf: -DNOUNDERSCORE
 482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: -Wl,-q -O5 -qarch=auto -qtune=auto -qipa=threads
-lhugetlbfs

470.lbm: basepeak = yes

482.sphinx3: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qipa=threads
-lhugetlbfs

C++ benchmarks:

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013

Peak Optimization Flags (Continued)

444.namd: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=auto
-qtune=auto -qipa=threads -lhugetlbfs

447.dealII: -O4 -qipa=threads -qrtti
-qcpp_stdinc=/opt/stdcxx421/include/ansi:/opt/stdcxx421/include:/opt/ibmcomp/vacpp/12.1/i
-lsmartheap -L/opt/stdcxx421/lib -R/opt/stdcxx421/lib
-lstd8d

450.soplex: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=auto
-qtune=auto -q64 -lhugetlbfs

453.povray: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qipa=threads
-qsimd -q64 -lsmartheap64

Fortran benchmarks:

410.bwaves: -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qipa=threads
-qsmallstack=dynlenonheap -q64 -lhugetlbfs

416.gamess: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=auto -qtune=auto
-qipa=threads -qalias=nostd -lhugetlbfs

434.zeusmp: basepeak = yes

437.leslie3d: -Wl,-q -O5 -qarch=auto -qtune=auto -qipa=threads -q64
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-align

459.GemsFDTD: -O4 -qipa=threads -qsimd -B/usr/share/libhugetlbfs/ -tl
-Wl,--hugetlbfs-align

465.tonto: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qarch=auto
-qtune=auto -qipa=threads -qsimd -lhugetlbfs

Benchmarks using both Fortran and C:

435.gromacs: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qipa=threads
-qsimd -lhugetlbfs

436.cactusADM: -O4 -qipa=threads -qsimd -qnostrict -q64
-qsmallstack=dynlenonheap -qalias=nostd -lhugetlbfs

454.calculix: basepeak = yes

481.wrf: -O3 -qarch=auto -qtune=auto -q64 -lhugetlbfs



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 1160

IBM PowerLinux 7R4 (4.0 GHz, 32 core, RHEL)

SPECfp_rate_base2006 = 1040

CPU2006 license: 11

Test date: May-2013

Test sponsor: IBM Corporation

Hardware Availability: Aug-2013

Tested by: IBM Corporation

Software Availability: Apr-2013

Peak Other Flags

C benchmarks:

C++ benchmarks:

Fortran benchmarks:

Benchmarks using both Fortran and C:

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/IBM-Power.html>

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/IBM-Power.xml>

<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20121024.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.

Report generated on Thu Jul 24 16:16:04 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 13 August 2013.