



# SPEC® CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

**Lenovo Group Limited**

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

**SPECint®2006 = 58.2**

**SPECint\_base2006 = 56.5**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Apr-2016

Hardware Availability: Mar-2016

Software Availability: Nov-2015



## Hardware

CPU Name: Intel Core i5-6440HQ  
 CPU Characteristics: Intel Turbo Boost Technology up to 3.50 GHz  
 CPU MHz: 2600  
 FPU: Integrated  
 CPU(s) enabled: 4 cores, 1 chip, 4 cores/chip  
 CPU(s) orderable: 1 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 6 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 8 GB (1 x 8 GB 2Rx4 PC4-2133P-E)  
 Disk Subsystem: Toshiba MQ01ACF050 500GB SATA, 7200RPM  
 Other Hardware: None

## Software

Operating System: Microsoft Windows 10 Pro 10.0.10586 N/A Build 10586  
 Compiler: C/C++: Version 16.0.0.110 of Intel C++ Studio XE for Windows;  
 Libraries: Version 18.00.30723 of Microsoft Visual Studio 2013  
 Auto Parallel: Yes  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap Library Version 11.0 from <http://www.microquill.com/>



# SPEC CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Lenovo Group Limited

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

SPECint2006 = 58.2

SPECint\_base2006 = 56.5

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Apr-2016

Hardware Availability: Mar-2016

Software Availability: Nov-2015

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	<b>248</b>	<b>39.4</b>	249	39.3	247	39.5	<b>204</b>	<b>47.9</b>	204	47.9	203	48.1
401.bzip2	<b>368</b>	<b>26.3</b>	368	26.2	367	26.3	360	26.8	<b>360</b>	<b>26.8</b>	360	26.8
403.gcc	229	35.1	229	35.2	<b>229</b>	<b>35.1</b>	220	36.7	<b>220</b>	<b>36.6</b>	220	36.6
429.mcf	137	66.6	<b>136</b>	<b>66.9</b>	136	67.0	137	66.6	<b>136</b>	<b>66.9</b>	136	67.0
445.gobmk	354	29.6	353	29.7	<b>354</b>	<b>29.6</b>	344	30.5	343	30.6	<b>343</b>	<b>30.5</b>
456.hammer	103	90.8	102	91.3	<b>103</b>	<b>90.9</b>	103	90.8	102	91.3	<b>103</b>	<b>90.9</b>
458.sjeng	372	32.5	372	32.6	<b>372</b>	<b>32.5</b>	372	32.5	372	32.6	<b>372</b>	<b>32.5</b>
462.libquantum	15.6	1330	<b>15.6</b>	<b>1330</b>	15.6	1330	15.6	1330	<b>15.6</b>	<b>1330</b>	15.6	1330
464.h264ref	<b>304</b>	<b>72.8</b>	303	73.1	304	72.7	<b>304</b>	<b>72.8</b>	303	73.1	304	72.7
471.omnetpp	<b>231</b>	<b>27.0</b>	232	27.0	231	27.1	219	28.6	<b>219</b>	<b>28.6</b>	219	28.5
473.astar	215	32.7	<b>215</b>	<b>32.6</b>	215	32.6	215	32.7	<b>215</b>	<b>32.6</b>	215	32.6
483.xalancbmk	118	58.7	<b>118</b>	<b>58.7</b>	117	59.0	118	58.7	<b>118</b>	<b>58.7</b>	117	59.0

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

To compile these binaries, the Intel Compiler 16.0 was set up to generate 64-bit binaries with the command:

```
"psxevars.bat intel64" (shortcut provided in the Intel(r) Parallel Studio XE 2016 program folder)
```

## Platform Notes

```
Sysinfo program C:\SPEC16.0/Docs/sysinfo
$Rev: 6775 $ $Date:: 2011-08-16 #$ \8787f7622badcf24e01c368b1db4377c
running on Clt507B9DA65255 Sat Apr 30 05:02:12 2016
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see: <http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name       : Microsoft Windows 10 Pro
OS Version    : 10.0.10586 N/A Build 10586
System Manufacturer: LENOVO
System Model   : 20FW002DUS
Processor(s)  : 1 Processor(s) Installed.
               [01]: Intel64 Family 6 Model 94 Stepping 3 GenuineIntel ~2600 Mhz
BIOS Version  : LENOVO R07ET62W (2.02 ), 3/4/2016
Total Physical Memory: 8,058 MB
```

```
Trying 'wmic cpu get /value'
DeviceID     : CPU0
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

**Lenovo Group Limited**

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

**SPECint2006 = 58.2**

**SPECint\_base2006 = 56.5**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Apr-2016

**Hardware Availability:** Mar-2016

**Software Availability:** Nov-2015

## Platform Notes (Continued)

L2CacheSize : 1024  
L3CacheSize : 6144  
MaxClockSpeed : 2601  
Name : Intel(R) Core(TM) i5-6440HQ CPU @ 2.60GHz  
NumberOfCores : 4  
NumberOfLogicalProcessors: 4

(End of data from sysinfo program)

## Component Notes

Tested systems can be used with Shin-G ATX case,  
PC Power and Cooling 1200W power supply

## General Notes

OMP\_NUM\_THREADS set to number of processors cores  
KMP\_AFFINITY set to granularity=fine,scatter  
Binaries compiled on a system with 1x Intel Xeon E5-2699 v3 CPU  
+ 64GB memory using Windows 8.1 Enterprise 64-bit

## Base Compiler Invocation

C benchmarks:

icl -Qvc12 -Qstd=c99

C++ benchmarks:

icl -Qvc12

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64\_X64  
401.bzip2: -DSPEC\_CPU\_P64  
403.gcc: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64  
429.mcf: -DSPEC\_CPU\_P64  
445.gobmk: -DSPEC\_CPU\_P64  
456.hmmmer: -DSPEC\_CPU\_P64  
458.sjeng: -DSPEC\_CPU\_P64  
462.libquantum: -DSPEC\_CPU\_P64  
464.h264ref: -DSPEC\_CPU\_P64 -DWIN32  
471.omnetpp: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64  
473.astar: -DSPEC\_CPU\_P64  
483.xalancbmk: -DSPEC\_CPU\_P64 -Qoption,cpp,--no\_wchar\_t\_keyword -DWIN64



# SPEC CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

**Lenovo Group Limited**

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

**SPECint2006 = 58.2**

**SPECint\_base2006 = 56.5**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Apr-2016

**Hardware Availability:** Mar-2016

**Software Availability:** Nov-2015

## Base Optimization Flags

C benchmarks:

`-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qparallel  
-Qauto-ilp32 /F64000000`

C++ benchmarks:

`-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features  
-Qauto-ilp32 /F64000000 shlw64M.lib -link /FORCE:MULTIPLE`

## Base Other Flags

C benchmarks:

`403.gcc: -Dalloca=_alloca`

## Peak Compiler Invocation

C benchmarks:

`icl -Qvc12 -Qstd=c99`

C++ benchmarks:

`icl -Qvc12`

## Peak Portability Flags

Same as Base Portability Flags

## Peak Optimization Flags

C benchmarks:

`400.perlbench: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch  
-Qauto-ilp32 /F64000000 shlw64M.lib  
/F256000000 -link /FORCE:MULTIPLE`

`401.bzip2: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias  
-Qauto-ilp32 /F64000000`

`403.gcc: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qauto-ilp32 /F64000000`

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

**Lenovo Group Limited**

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

**SPECint2006 = 58.2**

**SPECint\_base2006 = 56.5**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Apr-2016

**Hardware Availability:** Mar-2016

**Software Availability:** Nov-2015

## Peak Optimization Flags (Continued)

429.mcf: basepeak = yes

445.gobmk: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O2 -Qprec-div- -Qansi-alias -Qauto-ilp32  
/F64000000

456.hmmr: basepeak = yes

458.sjeng: basepeak = yes

462.libquantum: basepeak = yes

464.h264ref: basepeak = yes

C++ benchmarks:

471.omnetpp: -QxCORE-AVX2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qansi-alias  
-Qopt-ra-region-strategy=block -Qauto-ilp32 /F64000000  
shlW64M.lib -link /FORCE:MULTIPLE

473.astar: basepeak = yes

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic16.0-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic16.0-official-windows.xml>



# SPEC CINT2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

**Lenovo Group Limited**

(Test Sponsor: Intel Corporation)

Lenovo Thinkpad T460p 20FW002DUS (Intel Core i5-6440HQ)

**SPECint2006 = 58.2**

**SPECint\_base2006 = 56.5**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Apr-2016

**Hardware Availability:** Mar-2016

**Software Availability:** Nov-2015

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.  
Report generated on Wed Jun 1 19:10:25 2016 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 1 June 2016.